

Burglary resistance product – Sandwich panel

Issued to

ArcelorMittal Construction Sverige AB

Box 5164, SE-650 05 Karlstad, Sweden

Manufacturing place

ArcelorMittal Construction Belgium NV, rue du Berlaimont 21b, Zoning Martinrou, BE-6220 FLEURUS, Belgium

Product and product description

Burglary resistance inner or outer wall, sandwich panel with steel sheet surface and intermediate insulation of stone wool with density 85 kg / m³. Thickness 200 mm, 240 mm and 300 mm. Requirements for compliance with security class:

Class 1: thickness outer steel sheet 0.63 mm and inner steel sheet 0.63 mm
Class 2: thickness outer steel sheet 0.63 mm and inner steel sheet 0.75 mm

Product name

Promisol Rock 200 mm, 240 mm or 300 mm.

Certificate

The products described above fulfils the requirements in SSF 1047, issue 2 and RISE certification rule, SPCR 177, "Certification rules for products regarding their burglary resistance", issue 2018-05-31.

Classification according to SSF 1047, issue 2

Promisol Rock 200 mm: class 1 – 2
Promisol Rock 240 mm and 300 mm: class 1 – 2

Marking

The marking shall fulfil the requirements of SPCR 177 section 3.4. Products that comply with SPCR 177 may also be marked with RISE P-mark according to the requirements in SPCR 177 section 3.4.

Validity

This certificate is valid until not longer than 2024-09-18. The validity can be verified on RISE website.

Miscellaneous

The manufacturer's in-house inspection is under surveillance by RISE in accordance with section 4 and 5 of SPCR 177. Other terms and conditions are set out in section 6 of SPCR 177.

Martin Tillander