

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Self-supporting double skin metal faced insulating panels – Factory made products - Specifications

for use as roof covering, internal or external finishes in wall or ceilings subject to reaction to fire regulations. The product consists of coated steel plate having a nominal thickness 0,5 mm or 0,63 mm or higher, core of mineral wool that are glued to the steel plate. Thickness 100 -300 mm, panel width 1200 mm and adhesive with PCS value ≤ 3.8 MJ/m² or lower.

Reaction to fire: A2-s1, d0

Product name: Promirock N

placed on the market under the name or trademark of

ArcelorMittal Construction Sverige AB

Västanvindsgatan 13
650 05 Karlstad, Sweden

and produced in the manufacturing plant

ArcelorMittal Construction Sverige AB, Televerksvägen 5, Kungshamn, Sweden

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in annex ZA of the standard

EN 14509:2013

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 2023-03-13 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Issued by notified body 0402.

The validity of this certificate can be verified on our website.



Martin Tillander
Director Product Certification

This is a translation from the original Swedish document. In the event of a dispute about the content, the Swedish original shall take precedence.

Certificate 0402-CPR-C500367 | issue 1 | 2023-03-13

RISE Research Institutes of Sweden AB | Certification

Box 857, SE-50115 Borås, Sweden

+46 10 516 50 00 | certifiering@ri.se | www.ri.se

1159315

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE